



## Magazzini verticali a piani rotanti Rotomat® Industria

### Modelli, dimensioni e capacità

Modello	Dimensioni Rotomat (mm)		Dimensioni vano (mm)		Massima capacità di carico (kg)
	Larghezza	Profondità	Larghezza	Profondità	
900/100	2600	1000	2243	370	150
900/100	3270	1000	2838	370	150
900/115	2600	1155	2243	416	150
900/115	3270	1155	2838	416	150
900/125	2600	1255	2243	470	150
900/125	3280	1255	2847	470	150
936	3420	1615	2915	630	250
950	3420	1250	2870	416	400
956	3420	1650	2870	640	320
970	3420	1250	2915	445	250
980	3420	1475	2750	505	580
985S	3420	1600	2750	505	750
985	3420	1720	2750	630	500
990	3420	1670	2870	640	230



## Magazzini verticali a piani rotanti Rotomat® Ufficio

### Modelli, dimensioni e capacità



Modello	Dimensioni Rotomat (mm)			Dimensioni del vano		Numero di vani	Dimensione cartelle (altezza, mm)
	L	H	P	Larghezza	Capacità (metri lineari)		
300/100/260/280	2600	2090	1000	2260	22,86	11	245
300/100/327/280	3270	2650	1000	2855	42,83	15	245
300/100/260/305	2600	2100	1000	2260	22,60	10	270
300/100/260/305	2600	3020	1000	2260	36,16	16	270
300/100/327/305	3270	2100	1000	2855	28,55	10	270
300/100/327/305	3270	3480	1000	2855	54,25	19	270
300/100/260/330	2600	2250	1000	2260	22,60	10	295
300/100/327/330	3270	3580	1000	2855	51,39	18	295



Modello	Dimensioni Rotomat (mm)			Dimensioni del vano		Numero di vani	Dimensione cartelle (altezza, mm)
	L	H	P	Larghezza	Capacità (metri lineari)		
400/100/260/254	2600	2050	1000	2260	27,12	12	244
400/100/327/254	3270	2560	1000	2855	45,68	16	244
400/100/260/280	2600	2090	1000	2260	24,86	11	249
400/100/260/280	2600	3490	1000	2260	47,46	21	249
400/100/327/280	3270	2090	1000	2855	31,41	11	249
400/100/327/280	3270	2650	1000	2855	42,83	15	249
400/115/260/280	2600	2140	1000	2260	24,86	11	249
400/115/327/280	3270	3120	1000	2260	40,68	18	249



Modello	Dimensioni Rotomat (mm)			Dimensioni del vano		Numero di vani	Dimensione raccoglitori (mm)
	L	H	P	Larghezza	Capacità (metri lineari)		
500/100/260/356	2600	2410	1000	2260	22,60	10	280
500/100/260/356	2600	2760	1000	2260	27,12	12	336
500/100/260/356	2600	3330	1000	2260	33,90	15	420
500/100/260/356	2600	3650	1000	2260	38,42	17	476
500/100/327/356	3270	2410	1000	2855	28,55	10	350
500/100/327/356	3270	2760	1000	2855	34,26	12	420
500/100/327/356	3270	3300	1000	2855	42,83	15	525
500/100/327/356	3270	3650	1000	2855	48,54	17	595



Modello	Dimensioni Rotomat (mm)			Dimensioni del vano		Numero di vani	Dimensione raccoglitori (mm)
	L	H	P	Larghezza	Capacità (metri lineari)		
600/100/250/280	2500	2090	1000	2100	23,10	11	260
600/100/250/305	2500	3020	1000	2100	33,60	16	285
600/100/327/305	3270	2710	1000	2800	39,20	14	285
600/115/250/305	2500	2150	1155	2460	24,60	10	285
600/115/327/305	3270	2920	1155	3280	49,20	15	285
600/125/251/305	2510	21450	1255	2760	30,36	11	260
600/125/251/305	2510	2760	1255	2760	38,64	14	285
600/125/328/305	3280	3700	1255	3680	73,60	20	285



Modello	Dimensioni Rotomat (mm)			Dimensioni del vano		Numero di vani	Dimensione raccoglitori (mm)
	L	H	P	Larghezza	Capacità (metri lineari)		
600/115/250/254	2500	2100	1155	2460	29,52	12	230
600-115/327/254	3270	2860	1155	3280	59,04	18	230
600/115/250/280	2500	2140	1155	2460	27,06	11	255
600/115/327/280	3270	2700	1155	3280	49,20	15	255
600/125/251/254	2510	2100	1255	2760	33,12	12	230
600/125/251/280	2510	2970	1255	2760	46,92	17	255
600/115/250/254	2500	3120	1155	2460	49,20	20	230
600/115/327/254	3270	2100	1155	3280	39,36	12	230